
PRODUCT DATASHEET



1422

| DEVICE SPECIFICATIONS | | | |
|------------------------------------|----------------------|--|--|
| Safety zone | 22,27 m ² | | |
| Length | 1,90 m | | |
| Width | 3,75 m | | |
| Total height | 2,30 m | | |
| Free fall height | 1,30 m | | |
| Age range | 3-14 years | | |
| In accordance w/ EN standards | 1176-1:2008 | | |
| Availability of spare parts | Yes | | |
| Weight of the heaviest part [kg] | 25 | | |
| Dimension of the biggest part [cm] | 302x30x30 | | |

Minimal space







MATERIAL SPECIFICATION

- 90 x 90 mm impregnated, laminated wood of pine, the top is protected with polypropylene caps .
- Foundations are made of metal, sheltering the wood from direct contact with the ground to prevent rot . and extend the products life
- Stainless steel screws or covered screws with plastic caps
- . No sharp edges or chinks that would pose a danger for jamming of the head, fingers or any other body parts

ADDITIONAL COMMENTS

The device is designed for public playgrounds .

Due to the free fall height of the device, the EN 1176-1:2009 standard allows the following surfaces to cushion a fall. The level of granular materials requires filling in, conservation of synthetic materials is required in accordance with the manufacturer's instructions. Dimensions of the foundation are described in installation instruction.

| Material | Description [mm] | Minimal layer thickness [mm] | Dimensions foundation |
|---------------------|--------------------------------|---------------------------------|--------------------------|
| Tree bark | Grain size from 20 to 80 | 300 | A,C |
| Chip | Grain size from 5 to 30 | 300 | A,C |
| Sand | Grain size from 0,2 to 2 | 300 | A,C |
| Gravel | Grain size from 2 to 8 | 300 | A,C |
| Synthetic materials | Free fall approval ≥1300 | | A,B,C |