


climboo 0421


DOUBLE ZIP LINE

METAL DEVICE

DEVICE SPECIFICATIONS	
Safety zone	130,33 m ²
Length	22,40m
Width	2,15 m
Total height	3,60 m
Free fall height	1,55 m
Platform height	0,98 m
Age range	5-14 yrs
In accordance w/ EN standards	1176-1:2009
Availability of spare parts	Yes



Minimal space



MATERIAL SPECIFICATION

Climboo series – single elements and functional sets of devices for athletic purposes. The series is composed of elements designed for climbing, hanging down, crossing, crawling, jumping and exercising the sense of balance.

- 80 x 80 mm galvanized and/or powder coated steel construction
- Platforms made out of durable waterproof anti-skidding plate or HPL
- All screws covered with colorful plastic caps
- No sharp edges or chinks that would pose a danger for jamming of the head, fingers or any other body parts
- Stainless line and other stringing elements

ADDITIONAL COMMENTS

- The device is certified by an accrediting organization or by certificate of conformity
- The device is designed for public playgrounds
- Possible elongation up to 30-40 m

Due to the free fall height of the device, the EN 1176-1:2009 standard allows the following surfaces to cushion a fall. The level of granular materials requires filling in, conservation of synthetic materials is required in accordance with the manufacturer's instructions. Dimensions of the foundation are described in installation instruction.

Material	Description [mm]	Minimal layer thickness [mm]	Dimensions foundation
Tree bark	Grain size from 20 to 80	300	A,C
Chip	Grain size from 5 to 30	300	A,C
Sand	Grain size from 0,2 to 2	300	A,C
Gravel	Grain size from 2 to 8	300	A,C
Synthetic materials	Free fall approval ≥ 1350		A,B,C