


wooden WD 1410

PLAYGROUND FOUIPMENT

DEVICE SPECIFICATIONS			
Safety zone	40,25 m ²		
Length	4,10 m		
Width	3,30 m		
Total height	3,70 m		
Free fall height	2,20 m		
Age range	3-14 years		
In accordance w/ EN standards	1176-1:2009		
Availability of spare parts	Yes		
Weight of the heaviest part [kg]	40		
Dimension of the biggest part [cm]	392x9x9		



Minimal space





MATERIAL SPECIFICATION

- 90 x 90 mm impregnated, laminated wood of pine, the top is protected with polypropylene caps
- Foundations are made of metal, sheltering the wood from direct contact with the ground to prevent rot and extend the products life
- Antyslip and waterproof plywood platform and climbing walls
- Shields and roofs made out of atmospheric condition resistant HDPE polythene plates
- Stainless steel screws or covered screws with plastic caps
- No sharp edges or chinks that would pose a danger for jamming of the head, fingers or any other body parts
- Handrails and bars made out stainless steel
- Stainless steel slide with HDPE polythene plate boards
- Steel ropes enclosed with polypropylene, linked by durable plastic elements

ADDITIONAL COMMENTS

· The device is designed for public playgrounds

Due to the free fall height of the device, the EN 1176-1:2009 standard allows the following surfaces to cushion a fall. The level of granular materials requires filling in, conservation of synthetic materials required in accordance with the manufacturer's instructions. Dimensions of the

toundation are described in installation instruction.				
Material	Description [mm]	Minimal layer thickness [mm]	Dimensions foundation	
Tree bark	Grain size from 20 to 80	400	A,C	
Chip	Grain size from 5 to 30	400	A,C	
Sand	Grain size from 0,2 to 2	400	A,C	
Gravel	Grain size from 2 to 8	400	A,C	
Synthetic materials	Free fall approval	C	A,B,C	