


steel 0205

PLAYGROUND EQUIPMENT

| DEVICE SPECIFICATIONS | | | | |
|------------------------------------|----------------------|--|--|--|
| Safety zone | 47,20 m ² | | | |
| Length | 5,45 m | | | |
| Width | 3,78 m | | | |
| Total height | 3,50 m | | | |
| Free fall height | 1,50 m | | | |
| Age range | 3-14 years | | | |
| In accordance w/ EN standards | 1176-1:2009 | | | |
| Availability of spare parts | Yes | | | |
| Weight of the heaviest part [kg] | 111 | | | |
| Dimension of the biggest part [cm] | 110x400x110 | | | |

Minimal space





MATERIAL SPECIFICATION

Steel series - modernly designed multifunctional playground devices. Durable and safe, composed of a variety of entertainment elements, whose task – other than bringing an unlimited amount of joy – is to stimulate as many muscle groups as possible.

- 80 x 80 mm galvanized and/or powder coated steel construction
- Roofs and shields made out of atmospheric condition resistant HDPE polythene plates
- · Square platforms and slimbing walls made out of durable waterproof anti-skidding plate
- All screws covered with colorful plastic caps
- No sharp edges or chinks that would pose a danger for jamming of the head, fingers or any other body parts
- Safe rubber plug buttons topping the construction
- · Steel ropes enclosed with polypropylene, linked by durable plastic elements
- Stainless steel slide with HDPE polythene plate boards
- Other metal elements galvanized and/or powder coated
- Durable colorful climbing rocks
- Double wall tunnel pipe made out of polypropylene PP

ADDITIONAL COMMENTS

- The device is certified by an accrediting organization
- Embedded 80/70/60 cm deep in flat ground
- · The device is designed for public playgrounds
- · The slide should not be placed in a southbound manner

Due to the free fall height of the device, the EN 1176-1:2009 standard allows the following surfaces to cushion a fall. The level of granular materials requires filing in, conservation of synthetic materials is required in accordance with the manufacturer's instructions. Dimensions of the foundation are described in installation instruction.

| Material | Description [mm] | Minimal layer thickness [mm] | Dimensions foundation |
|------------------------|--------------------------------|---------------------------------|--------------------------|
| Tree bark | Grain size from 20 to 80 | 300 | A,C |
| Chip | Grain size from 5 to 30 | 300 | A,C |
| Sand | Grain size from 0,2 to 2 | 300 | A,C |
| Gravel | Grain size from 2 to 8 | 300 | A,C |
| Synthetic materials | Free fall approval ≥1500 | | A,B,C |