


## CROOC 0310



5 - 14 years



8 kids



18,1 m²

### Material specification

- Stainless steel and hot-dip galvanized and powder coated steel construction of 80x80 mm profile,
- Side panels made of durable HPL plate, resistant to weather conditions,
- Climbing walls made of durable anti-slip and waterproof HPL plate,
- Durable climbing stones made of polyester resin composite with mineral fillers,
- Seats made of durable anti-slip and waterproof HPL plate, resistant to weather conditions,
- Screws covered with plastic caps and/or stainless steel screws,



**Physical development**



rest



climbing





2

number of activity elements

## Product technical sheet

# CROOC 0310




## Product data

|                                |                     |
|--------------------------------|---------------------|
| Length                         | 201 cm              |
| Width                          | 105 cm              |
| Total height                   | 122 cm              |
| Age group                      | 5 - 14 years        |
| Number of users                | 8 kids              |
| Safety zone                    | 18,1 m <sup>2</sup> |
| Free fall height               | 120 cm              |
| In accordance with norm EN     | 1176-1:2017+A1:2023 |
| Weight of the heaviest part    | 43 kg               |
| Dimensions of the largest part | 142x103x2 cm        |
| Availability of spare parts    | YES                 |
| Installation time              | 2,0 h               |
| Color options                  |                     |

Data is subject to change without prior notice.

## Additional information

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jamming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;



## Guarantee

30

30 year guarantee - Durability of steel and stainless steel structural elements

15

15 year guarantee - Durability of steel and stainless steel structures of mobile devices; durability of Robinia wood structural elements

10

10 year guarantee - Structural strength of HDPE, 100% recycled HDPE and HPL elements; structural elements made of 100% recycled material (composite)

5

5 year guarantee - Corrosion resistance of stainless steel and hot-dip galvanized and powder-coated steel elements, resistance to bark beetles and rotting of wooden structural elements

Detailed information in the guarantee card



# CROOC 0310

**Amount of safe surface  
corresponding with free fall  
height:**

HIC 120 18,1 m<sup>2</sup>

Data is subject to change without prior notice.

## Surfaces according to EN 1176-1:2017+A1:2023

|                                 | Description (mm)             | Layer thickness (cm) | Maximum fall heights (cm) |
|---------------------------------|------------------------------|----------------------|---------------------------|
| Turf/ top layer of soil (A,B,C) | -                            | -                    | ≤100                      |
| bark (A,C)                      | Particle size from 20 to 80  | 30                   | ≤200                      |
|                                 |                              | 40                   | ≤300                      |
| woodchips (A,C)                 | Particle size from 5 to 30   | 30                   | ≤200                      |
|                                 |                              | 40                   | ≤300                      |
| sand or gravel (A,C)            | Particle size from 0,25 to 8 | 30                   | ≤200                      |
|                                 |                              | 40                   | ≤300                      |
| synthetic attested (A,B,C)      | Tested according to EN 1177  |                      | 120                       |

